

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	80144	"345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:09
S2	33154	(clock\$4 near3 (two or second or "2")) SAME phas\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:51
S3	933	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:27
S4	96868	electromagnet\$4 near3 radiat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:35
S6	128306	electromagnet\$4 near3 (radiat\$4 or interfer\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:36
S7	63	S3 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:36
S12	2	(clock\$4 near3 (two or second or "2")) SAME (relat\$5 or revers\$4 or opposit\$4) SAME (load\$4 or capacit\$5) AND S6 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 18:56

EAST Search History

S13	19	(clock\$4 near3 (two or second or "2")) SAME (load\$4 or capacit\$5) AND S6 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 19:24
S14	796	(clock\$4 near3 (two or second or "2")) SAME (load\$4 or capacit\$5) AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 19:26
S15	114	((clock\$4 near3 (two or second or "2")) SAME (load\$4 or capacit\$5)SAME (revers\$4 or opposite\$3 or back\$4 or relat\$4)) AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:02
S16	80144	"345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:06
S17	210817	(load\$4 or capacit\$5) WITH (equal\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:16
S18	2748	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:16
S19	80144	"345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:35

EAST Search History

S20	1045893	((load\$4 or capacit\$5) WITH (equal\$6 or sam\$4 or clos\$4 or congruent\$4 or balanc\$4 or identical\$4 or alike or invariabl\$4 or duplicat\$4 or similar\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:46
S21	183216	(clock\$4 near3 (two or second or "2" or pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:49
S22	4992	S21 SAME S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 10:49
S23	139	S22 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 12:21

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((second or two or "2") near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH (dummy or end) near3 (terminal or circuit or terminat\$4)) SAME (data near3 driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:21
L2	113	((second or two or "2") near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH (dummy or end) near3 (terminal or circuit or terminat\$4)) SAME (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 15:57
L3	1	(capcitor WITH (terminating near3 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:06
L4	0	(capcitor NEAR5 (terminating near3 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:06
L5	320	(capacitor WITH(terminating near3 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:07
L6	142	(capacitor NEAR5 (terminating near3 circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:07
L7	1	(capacitor NEAR5 (terminating near3 circuit)) and "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:07

EAST Search History

L8	2	(capacitor WITH(terminating near3 circuit)) and "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:10
L9	17	(capacit\$4 WITH (terminat\$4 near3 circuit)) and "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:15
L10	200	((capacit\$4 or load) WITH ((terminat\$4 or end or ending) near3 circuit)) and "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:17
L11	112	((capacit\$4 or load) NEAR5 ((terminat\$4 or end or ending) near3 circuit)) and "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:19
L12	2	"6795049".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:26
L13	0	"6795049".pn. and (dummy same capac\$5 same clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 16:27
L14	1	"6795049".pn. and (dummy same capac\$5 same signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:04

EAST Search History

S7	28	(clock WITH (revers\$4 or opposit\$5 or back\$4) WITH (first or second or "2" or two) WITH latch\$4) SAME odd	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 15:10
S8	6	S3 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 18:21
S9	2	"5616936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 21:46
S10	80144	"345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 09:51
S11	4125	(terminat\$4 or end\$3 or endi\$3 or dum\$4) WITH (load\$4 or capacit\$5) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 09:58
S12	4182	(terminat\$4 or end\$3 or endi\$3 or dum\$4) WITH (load\$4 or capacit\$5) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 09:53
S13	2858	(terminat\$4 or end\$3 or endi\$3 or dum\$4) AND (load\$4 or capacit\$5) AND (clock\$4 near3 (second or "2" or two or pair)) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:06

EAST Search History

S14	60	((((terminat\$4 or end or endi\$3 or dum\$4) WITH (load\$4 or capacit\$5)) SAME (clock\$4 near3 (second or "2" or two or pair))) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:12
S15	106	((((terminat\$4 or end or endi\$3 or dum\$4 or ground\$4) WITH (load\$4 or capacit\$5)) SAME (clock\$4 near3 (second or "2" or two or pair))) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 21:36
S16	20	((((terminat\$4 or end or endi\$3 or dum\$4 or ground\$4) WITH ("IC" or circuit or "ICs") WITH (load\$4 or capacit\$5)) SAME (clock\$4 near3 (second or "2" or two or pair))) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:01
S17	13	((((terminat\$4 or end or endi\$3 or dum\$4 or ground\$4) WITH (driv\$4) WITH (load\$4 or capacit\$5)) SAME (clock\$4 near3 (second or "2" or two or pair))) AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:23
S18	2979	Yamazaki-Hiroshi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:25
S19	232	Yamazaki-Hiroshi.in. and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:26
S20	30	Yamazaki-Hiroshi.in. and display and clock\$4 and driv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:30

EAST Search History

S21	12	(Fujitsu adj Display adj Technologies adj ("Corp." Corporation)).as. and (display and clock\$4 and driv\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 11:32
S22	14	((second or two or "2" near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH (dummy near3 (terminal or circuit or terminat\$4))) SAME (data near3 driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 21:40
S23	2	((second or two or "2" near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH (dummy near3 (terminal or circuit or terminat\$4))) SAME (data near3 driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 21:47
S24	5	((second or two or "2" near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH ((dummy or end) near3 (terminal or circuit or terminat\$4))) SAME (data near3 driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 21:50
S25	84	((second or two or "2" near3 (clock or puls\$4)) WITH (connect\$4 or attach\$4) WITH ((dummy or end) near3 (terminal or circuit or terminat\$4))) WITH (driv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 21:51

EAST Search History

L15	2	"5852426".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:06
L16	2214	(sam\$2 or equal\$4 or close\$3) WITH capacit\$4 WITH ((clock or pulse) near3 (second or "2" or two))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:08
L17	62	(sam\$2 or equal\$4 or close\$3) WITH capacit\$4 WITH ((clock or pulse) near3 (second or "2" or two)) AND "345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 17:09
S1	18220	clock WITH (revers\$4 or opposit\$5 or back\$4) WITH (first or second or "2" or two)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 14:33
S3	80144	"345"/\$6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 14:31
S5	977	clock WITH (revers\$4 or opposit\$5 or back\$4) WITH (first or second or "2" or two) WITH latch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 15:09
S6	50	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 14:34